R MMELSBACHER ElektroHausgeräte GmbH





nourish healthily enjoy it hot

Programme 2008



80 years of experience and innovation

Rommelsbacher was founded in 1928 by graduate-engineer Gustav Rommelsbacher and is still family-owned, run by the third generation. Being a medium-sized family enterprise, both construction and production are carried out in our works in Dinkelsbühl, the beautiful and more than 1,000 year old town situated at the Romantic Road.



We offer a comprehensive product range of attractive small electrical appliances for kitchen, garden, travelling and leisure. Our first-class quality is guaranteed by modern production and test facilities. All appliances comply with the relevant safety and test standards.

Our strong points - Your advantages

- An innovative programme featuring products "Made in Germany"
- A team distinguishing itself by flexibility, efficiency and great commitment
- A production run in compliance with the integrated Quality and Environmental Management System, certified according to DIN EN ISO 9001 and validated according to the EC CO Audit Regulation 1836/93



Programme 2008

Healthy cooking & Preserving

Steam cooking Biological oven Dehydrator Vacuum sealers Preserving, juice extracting	4 5 6 7 8
Enjoyment in conviviality Grill Appliances Raclettes Electric fondue and Wok Deep fryers	10 12 13 14
Pleasure in Boiling & Cooking	
Cooking Plates Induction cooking plates CT line AK / THD line THL / TL line THS line Built-in hobs Warming trays	16 17 18 19 20 21 22
<i>Mini Ovens, Mini Kitcheners</i> Mini ovens Mini kitcheners, Pot- and pan series	23 24
Breakfast, Coffee & Co. Mobile Cooking	
Breakfast Coffee & Co., Espresso & Cappuccino Travel hot plates, Gas cooker / Gas grill set Immersion heaters, Electric Lighter	26 27 28 29
Baby Care Line	

Baby food warmer, disinfector	31
Baby's changing-table radiator	

Healthy cooking Preserving





cooking the healthy way enjoying delicious food

Valuable vitamins get preserved, foods are prepared in a fat-free way! The result: abundant taste involving little energy consumption. The steamers are versatile in use: vegetables, potatoes, rice, but also fish, meat and desserts come out perfectly.

Steam Cooking

DGS 800 230 V · 800 W

Electronic version - with plastic trays

- stainless steel casing
- turbo-steam function
- 3 steam trays (3 litres each)
- LCD Display
- 24-hour start time pre-selection
- audible signal upon programme finish
- water tank refillable from outside
- condensate collecting basin
- keep-warm function





DGS 1000/E 230 V · 1000 W

Easy to operate - superior finish

- robust and stable base
- 2 stainless steel steam trays (6.5 | + 3.5 |)
- high-quality glass lid
- heat-proof handles
- condensate collection basin
- water level indicator
- automatic switch-off when short of water
- 75-minute timer
- big pilot lamp

Health - our most valuable property! To make healthy cooking easier for you, we developed the Biological Oven in cooperation with nutrition specialists.



Biological Oven

- low temperature cooking + gentle cooking + menu cooking
- allows valuable nutrients and vitamins to be retained
- up to 60% less of roasting losses
- especially tender and juicy meat
- with core temperature measurement via meat probe
- minimized expenditures of time and energy
- fully-automatic electronic cooking process
- simple operation with user guidance with 12 fixed and 8 freely-assignable digital programmes
- full-function oven featuring upper/lower heat and grill setting
- interior illumination, meat probe



- oven chamber 40 l, timer, partitioned oven chamber •
- stainless steel cooking pans and steam insert in GN-format included



BGO 1600/E 230 V · 2200 W · stainless steel



Fruit, vegetables, mushroom and herbs desiccate easily and evenly in the hot air stream, without using any preserving agents. Vitamins, nutriments and minerals get preserved, flavouring substances concentrate.

Automatic Dehydrator

DA 750 230 V · 700 W · white

- healthy, easy desiccating 3 output levels 250 / 500 / 700 watt
- 12 hours timer
- with automatic switch-off
- 4 plastic dehydration shelves
- easy to clean, also ideal for herbs
- can be used with up to 8 dehydration shelves



DE 100 2 dehydration shelves as an add-on kit

Accessories for Vacuum Sealers







The extensive set of accessories makes you to go for freshness!

Containers, foils and bags, lids and caps for vacuuming



Preserving flavours, keeping freshness, portioning in a clever way! Prolong the shelf life of food by 3 to 5 times as much!



Vacuum Sealers

VAC 50 KOLIBRI

Super easy to handle, super practical, super quick

- for vacuuming in containers and with covers •
- turbo-type vacuum sealing within only 5 seconds •
- always ready for use in the practical holder

inclusive:

- high-quality container (1 litre) with clip-lock and date display
- universal lid (100 mm ø)
- bottle cap



VAC 100 M/N/

The little one that will bring fresh ideas to you

- for vacuuming in foils, bags (20 cm) and containers
- generation of vacuum conducted manually
- sealing either automatically or manually
- hose port to vacuum seal containers inclusive of vacuum hose, foil roll,
- 10 bags and foil-cutter



VAC 200 PREMIUM Planning and preserving as easy as winking

- for vacuuming in foils, bags (30 cm) and containers
- suction and sealing is done automatically
- vacuum is manually adjustable
- pilot lamps, cable compartment
- hose port to vacuum seal containers
- inclusive of vacuum hose, 10 bags and foil-cutter

VAC 300 EXCLUSIVE

Preserving freshness in an easy but professional way

- for vacuuming in foils, bags (30 cm) and containers
- fully automatic vacuum sealing process
- vacuuming and sealing process both manually adjustable
- booster-level and twofold adjustable sealing seam
- safety cutting facility
- also qualified for wall mounting
- cable take-up and cable compartment
- hose port to vacuum seal containers
- inclusive of vacuum hose, 20 bags, foil roll and opener for Leifheit-type jars





Auto-Preserving Cookers

- infinitely variable temperature regulation
- with integrated precision thermostat
- pilot lamp and overheating protection •
- closed pot bottom, easy to clean
- acid-resistant 2-layer enamel coating
- juice-extraction setting, grid insert
- fully-automatic unit with automatic preserving system
- holds 27 l or 14 jars containing 1 litre each •

KA 1800 Auto-Preserving Cooker 230 V · 1800 W · white/blue



Auto-Preserving Cooker

otherwise same as KA 1800

KA 1801



KA 1802 Fully-Automatic Preserving Cooker mulled wine pot with outlet tap with 120-minute timer otherwise same as KA 1800



KA 1804 Fully-Automatic Preserving Cooker with outlet tap and 120-minute timer otherwise same as KA 1800





Stainless Steel Line

KA 2000/E Auto-Preserving Cooker 230 V · 2000 W · stainless steel



KA 2001/F Auto-Preserving Cooker mulled wine pot with outlet tap otherwise same as KA 2000/E



KA 2002/E Fully-Automatic Preserving Cooker with 120-minute timer otherwise same as KA 2000/E



KA 2004/E Fully-Automatic Preserving Cooker with outlet tap and 120-minute timer otherwise same as KA 2000/E

Juice Extraction Top

EA 1803 Juice Extraction Top

- for all Rommelsbacher Auto-Preserving Cookers
- with fitting ring 35 cm Ø
- acid-resistant 2-layer enamel coating
- with outlet tube and clamp
- fruit basket made of synthetic material, 15 litres





Electric Juice Extractor

EE 1505 Electric Juice Extractor 230 V · 1500 W · white/blue

- with integrated heating element
- overheating and dry-boil protection
- acid-resistant 2-layer enamel coating
- with outlet tube and clamp
- fruit basket made of synthetic material, 10 litres

With the auto-preserving cookers you can enjoy the fruits of summer all the year round. Also use the units for other practical applications, e.g. for preparing mulled wine or keeping warm large quantities of food, or combine it with the juice extracting top.

Enjoyment in conviviality















The very special grilling pleasure - tasty, light and inventive!

Party Grill Set

FG 2200/S FunTasia 230 V · 2200 W · red



GUT(1,8) TESTSIEGER Party Grill FG 2200

STIFTUNG WARENTEST

- healthy grilling pleasure in the Tepan Yaki style also perfect for desserts, roast potatoes and fish
- - heat-resistant synthetic casing, hexagonal design lift-up foot for slant position for low-fat grilling
- •
- large non-stick grill plate with oil-collecting channel
- removable plate, very easy to clean temperature is infinitely variable from 1-12
- with steamer cup and grill cutlery

FG 2200/S features additionally:

• 4 plates, dip dishes and suitable chopsticks

Party Grill



funtasia

FG 2204/SE Special Edition 230 V · 2200 W · silver-grey

The unique design grill for low-fat grilling on original Schott Ceran[®] glass features a grilling temperature of up to 380 $^{\circ}$ C – the ultimate perfection of grilling!



A MARINE SER

Ceran[®] Grill

CG 2303/E *stainless steel* 230 V · 2000 W

- Ceran[®] contact grill surface
- energy regulator, infinitely adjustable
- quickly heats up to 380°C
- retractable knob, splash-proof
- fat collection channel, removable
- slant position for low-fat grilling
- integrated keep-warm zone
- cleaning scraper included





KG 2000 *TwinSet* 230 V · 2000 W graphite-grey metallic

Multi & Comfort Grill

- contact grill appliances in three variations
- temperature is infinitely variable, pilot lamp
- non-stick coated grill surfaces, detachable for easy cleaning
- position lock for cooking au gratin
- double size grill surface if opened

KG 2000:

• 2 thermostats allow for a separate regulation of the grill plates





KG 1600 230 V · 1600 W arctic-silver metallic









Raclette – the tasty amusement for a convivial evening! Our many-sided programme meets all demands.

Raclette

GUSTO:

- fat-free grilling on a grill plate of superior natural stone
- scratch-resistant and cut-proof, with dripping groove integrated
- easiest cleaning because unit can be dismounted completely
- 8 non-stick coated pans, 8 spatulas
- pans can be stored inside the appliance to save space
- infinitely variable temperature regulation

RCS 1207 *Gusto* 230 V · 1200 W





OTTIMO:

- noble design, superior equipment
- cast aluminium grill plate, non-stick coated
- convex, ideal for low-fat grilling
- parking surface for hot pans not in use
- 8 non-stick coated pans, 8 spatulas
- infinitely variable temperature regulation, pilot lamp

RC 1200 Ottimo 230 V · 1200 W





FORNELLO:

- the small table-top kitchen
- pan grill, raclette and baking appliance all in one
- for raclette and toasts, for cooking, roasting and grilling
- cast aluminium pans sized to toast bread
- parking surface for hot pans not in use
- infinitely variable temperature regulation, pilot lamp

GF 900 Fornello 230 V · 900 W Candlelight look for unforgettable hours. Perfect heat distribution, ideal for fondues prepared with oil, bouillon, cheese or chocolate.





Electric Fondue

- cosy ambience through simulated flame look
- infinitely variable temperature regulation
- candlelight bulb fitted with acrylic glass splash guard
- superior cast-iron designer pan with rubber-coated handle
- 8 extendable fondue forks
- stainless steel anti-splash insert with fork stop

F 400/E Harmony 230 V · 400 W



- heating unit is a full-function hot plate
- can also be used as a mobile cooking plate and for Wok cooking
- superior genuine cast-iron heating plate
- temperature infinitely variable
- with overheating protection and automatic cooking system
- control panel with pilot lamp integrated
- high-grade stainless steel pot
- stainless steel anti-splash insert with fork stop
- 6 fondue forks with colour marking

F 1199/E

230 V · 1100 W · 145 mm Ø · stainless steel

Cooking in the Wok – that's the healthy Asian cuisine. But also European recipes can be prepared easily and in a vitaminpreserving way. Enjoy it to the full!



Gourmet Wok

- mobile cooking facility, also suitable as a warming tray at table
- cast-iron heating plate, temperature infinitely variable
- control panel with integrated pilot lamp, overheating protection
- Wok made of cast aluminium, non-stick coated
- with glass lid and accessories

GW 1199/E Wok Set 230 V · 1100 W · 145 mm Ø Pot made of cast aluminium

WT 31

Pot made of cast aluminium, non-stick coated, with glass lid and accessories (without heating appliance)





Not only French fries and escalope, but also fish, vegetables and pastries come out crusty and delicious. Innovative technique meets modern design.

Deep Fryers

- sophisticated workmanship, optimum functionality •
- total-clean system for super-easy cleaning •
- detachable lid with inspection window and filter
- infinitely variable temperature regulation, power control lamp control lamp indicating ready-to-fry status basket can be lifted/lowered with cover closed .
- •
- .
- heat insulated handles, condensate collection basin

FR 2125/E:

- cast aluminium frying container, removable
- basket-lift facility via a handle with lid closed •







FR 2125/E 230 V · 2100 W stainless steel



FRP 2135/E:

- cold-zone principle, for professional deep-frying •
- heating element with diffuser, increased safety .
- with 30-minute timer .

FRP 2135/E cold-zone Deep Fryer 230 V · 2100 W stainless steel



Pleasure in Boiling Cooking













15



PLUS X AWARD[®] ausgezeichnet für Innovation Induction – the quickest and most efficient way of cooking. A magnetic coil generates heat directly in the pot bottom and provides for an efficiency of more than 90 %. At the same time, the cooking zones stay almost cool. Save time and energy while enjoying perfect ease of use!

Induction Line

Cook more efficiently - 90% efficiency! Save energy cost - 50% energy saving! Save time - 30% quicker cooking, no pre-heating time! Induction cooking utensils - check with magnet on the pot bottom

- glass ceramic cooking surface, very easy to clean
- pot recognition, energy saving and safe
- temperature selection in 5 settings from 70°C (keeping warm) up to 230°C
- power selection in 9 settings, cooking time pre-selection up to 99 minutes
 - automatic switch-off and signal tone
- integrated safety functions, overheating protection
- residual heat indicator, power control display

CT 2015/IN *stainless steel* 230 V · 2000 W · heating zone 80 - 200 mm Ø

- 2000 W power
- casing made of brushed stainless steel
- regulation via Touch Control sensors
- superior Schott Ceran[®] cooking surface





CT 1815/IN *silver-grey* 230 V · 1800 W · heating zone 80 - 200 mm Ø

- superior synthetic casing
- user-friendly membrane keyboard



CT 1805 230 V · 1800 W · 180 mm Ø · anthracite-grey

Vario Line

- superior glass ceramic cooking surface
- power saving with energy regulator
- temperature is infinitely variable
- HiLight[®] heating elements
- residual heat indicator, pilot lamp
- also suitable for installation
- into kitchen counters

CT 3005

230 V · 3000 W · anthracite-grey 145 mm Ø 1200 W · 180 mm Ø 1800 W



A cooking plate attracting everyone's attention. Shapely and elegant, at the same time providing all the latest technological features. Ideal as an additional appliance, perfect as a mobile cooking facility. A first-class product made in Germany.





TouchControl Line

- electronic regulation via sensors •
- energy saving HiLight[®] technology
- two-circuit, extra large heating zone (210 mm ø) to be set in addition •
- infinitely variable energy control .
- integrated safety functions

•

- automatic cooking system, overheating protection .
- pilot lamps, residual heat indicators •
- easy-care Schott Ceran[®] cooking surface •
- stainless steel casing in Softline design


CT 3403/TC stainless steel 230 V · 3400 W 145 mm Ø 1200 W 140/210 mm Ø 1000/2200 W



CT 2203/TC stainless steel 230 V · 2200 W 140 mm Ø 1000 W 210 mm Ø 2200 W

Switch Line

- superior stainless steel casing
- unique Softline design easy-care Schott Ceran® cooking surface
- infinitely variable energy control
- energy saving HiLight[®] technology
- two-circuit, extra large heating zone (210 mm ø) to be set in addition
- automatic cooking system, overheating protection
- residual heat indicators, pilot lamps







CT 3400/E features additionally: retractable knobs

CT 3400/E 230 V · 3400 W 145 mm Ø 1200 W 140/210 mm Ø 2200 W



AK and AK/E Line

_automatic temperature control _infinitely variable regulation _large pilot lamps _all models with express heating plate

The only one authentic automatic hot plate complying with the standards! Manufactured in Germany, featuring a patented thermostatic system for extraordinary temperature precision. Particularly flat and shapely 2-shell casing.



• extra-flat 2-shell casing

- brushed, high-quality stainless steel
- automatic temperature control
- automatic cooking system, overheating protection
- temperature is infinitely variable
 durable cast-iron heating plates,
- express heating plates
- large, perfectly visible pilot lamps
- can be combined due to analogous casing dimensions
- also available with white enamelled casing

AK 1599/E 230 V · 1500 W · 145 mm Ø

AK 2099/E 230 V · 2000 W · 180 mm Ø



AK 3099/E 230 V · 3000 W 145 mm Ø 1500 W · 180 mm Ø 1500 W

THD/E SwingLine

- the new SwingLine design line
- noble and shapely
- superior stainless steel casing
- infinitely variable temperature regulation
- pilot lamps
- durable cast-iron heating plates
- overheating protection

For those fancying the very special touch – the new design cooking plates acting as elegant eye-catcher in the kitchen. The shapely casing is made of brushed stainless steel, the temperature of the high-quality cast-iron heating plates is infinitely variable. The new generation!



THD 1500/E 230 V · 1500 W · 180 mm Ø

THD 2500/E 230 V · 2500 W 145 mm Ø 1000 W · 180 mm Ø 1500 W



The alternative for price-conscious but nonetheless demanding customers. Extra-flat design, high comfort in operation, manufactured in Germany.

THL Line

white fire-enamelled Softline design infinitely variable regulation



THL 2597/A same as THL 2597, but with cover

THL 3097/A same as THL 3097, but with cover



THL 1097 230 V · 1000 W 145 mm Ø



THL 1597 230 V · 1500 W 180 mm Ø





- durable cast-iron heating plates
- temperature is infinitely variable
- pilot lamps, overheating protection
- versions with express heating plate and cover
- cover can also be retrofitted

THL 2597 230 V · 2500 W 145 mm Ø 1000 W · 180 mm Ø 1500 W



THL 3097 230 V · 3000 W · with express heating plate 145 mm Ø 1500 W · 180 mm Ø 1500 W



- 3000 Watt power capacity, with express heating plate
 - black-metallic special enamelling
 enamelled cast iron heating plates,
- enamelied cast from heating plates, easy to clean
 safety thermostat with zero-position detent
- fitting cover plates included



THL 3005/SE Special Edition

__well-priced and good

- __enamelled casing
- __ infinitely variable
- _ pilot lamps



TL 29 2300 145 m **TL 29**

TL 1595 230 V ⋅ 1500 W ⋅ 180 mm Ø

TL 2595 230 V · 2500 W 145 mm ∅ 1000 W · 180 mm ∅ 1500 W

TL 2595/A (no figure) 230 V · 2500 W · with cover 145 mm Ø 1000 W · 180 mm Ø 1500 W

THS Line

The star among our hot plate lines, powercontrolled via 7-step switch, perfect in shape and at the same time especially robust and suitable for all cookware. A quality product 'Made in Germany'! _ power-controlled _ 7-step switch _ Softline design



- single and double hot plates
- white fire-enamelled casing
- attractive Softline design
- durable cast-iron heating plates
- regulation via 7-step switch
- pilot lamps, overheating protection
- also with cover (retrofitting possible)
- special models with timer

THS 1090 230 V · 1000 W · 145 mm Ø **THS 815** regulation via 15-minute timer 230 V · 800 W · 145 mm Ø



THS 1590 230 V · 1500 W · 180 mm Ø



THS 2590 230 V · 2500 W 145 mm Ø 1000 W · 180 mm Ø 1500 W



Quality Made in Germa

THS 2015

regulation via

2x15-minute timer 230 V · 2000 W 145 mm Ø 800 W 180 mm Ø 1200 W

THS 2591 same as THS 2590 but with cover

THS 2022/E Gastro

- superior stainless steel casing
- professional cast-iron heating plate, **220 mm Ø**



THS 2022/E *Gastro* 230 V · 2000 W · 220 mm Ø

For installation into every worktop, comes complete with installation kit and a power cord with safety plug. Mounting dimensions: 27 x 50 cm, measurements: 28.8 x 53 x 8 cm

Domino Built-In Hobs



EBC 3477/TC TouchControl 230 V · 3400 W 145 mm Ø 1200 W two-circuit heating zone 180/220 mm Ø 2200 W

• frameless, frontal facet cut

- superior Schott Ceran[®] hob
- HiLight[®] heating elements
- Touch Control sensors
- electronic auto-temperature system
- timer from 1 99 minutes
 residual heat indicator



EBC 3777/IN Induction 230 V · 3700 W 80 - 145 mm Ø 1400 W 80 - 210 mm Ø 2300 W

- effective induction technology
- immediate power transfer
- power boost function, no pre-heating time
- 12 power settings, pot recognition
- energy saving and safe
- otherwise same as EBC 3477/TC





EBC 3075/E stainless steel 230 V · 3000 W 145 mm Ø 1200 W 180 mm Ø 1800 W

- Schott Ceran[®] hob, stainless steel frame
- HiLight[®] heating element, infinitely variable
- pilot lamp and residual heat indicator



- casing made of brushed stainless steel
- superior cast-iron heating plates
- power-controlled via 7-step switch
- . 2 pilot lamps, express heating plate



EBS 3074/E Basic 230 V · 3000 W 145 mm Ø 1500 W 180 mm Ø 1500 W







Heat-Storing Warming Tray

- takes only 8 minutes to heat up
- will store heat for 60 minutes
- heating surface made of brushed stainless steel
- pilot lamp, overheating protection •
 - comes with a detachable cord set
- a German quality product

WPS 857 230 V · 850 W · stainless steel

Warming Trays

- large keep-warm zone suitable for 1/1 GN format
- Securit safety glass •
 - with integrated heating system
- can be used in tandem position •
- switch with pilot lamp •
- temperature is infinitely variable •
- a German quality product •

WPR 305/E

•

230 V · 300 W · stainless steel heating surface 53 x 32.5 cm





WPR 405/E 230 V · 400 W · stainless steel heating surface 61 x 41 cm







Pizza-/Bread Baking Stone

- baking stone made of natural fireclay, food safe
- dimensions 35 x 35 cm
- matched by a wooden tray shovel

the huge among the small

BG 1600 *Maxi Oven - PizzAvanti* 230 V · 1600 W · anthracite oven volume: 43.5 x 36.5 x 25 cm

grill function

for temperatures up to more than 300°C optimal for pizza or as a stone baking oven 40-liter oven volume, for baking tins up to 36 cm ø

inspection window, interior illumination,

temperature is infinitely variable, pilot lamp

• instruction manual with recipe ideas

PS 16 Pizza-/Bread Baking Stone PizzaWonder





KML 3001 230 V · 3000 W · anthracite 145 mm Ø 1200 W · 180 mm Ø 1800 W oven volume: 40 x 27.5 x 20 cm

Modern design and various equipment features make these appliances stand out. A perfectly-developed series for singles, students or holiday cottages.

Mini Kitcheners

- compact mini kitcheners with two cooking zones
- cast-iron heating plates with 7-step regulation .
- oven is coated with CleanEmail and infinitely variable
- 1000 W grill feature, oven priority function
- pilot lamps, inspection window

KM 2501 and KML 3001:

- additional functions: only upper heat/only lower heat
- controlled oven ventilation, interior illumination

KML 3001 deviating features:

- glass ceramic cooking surface with residual heat indicators
- heating zones are infinitely variable via energy regulator
- 90-minute timer, with continuous setting and signal tone



KM 2501 230 V · 2500 W · white 145 mm Ø 1000 W · 180 mm Ø 1500 W oven volume: 40 x 27.5 x 20 cm



TK 2505 230 V · 2500 W · white 145 mm Ø 1000 W · 180 mm Ø 1500 W oven volume: 40 x 27.5 x 20 cm



3-item pot set KT 35 saucepot 20 cm Ø, 2.2 l saucepot 24 cm Ø, 4.2 l all with glass lid saucepan 16 cm Ø, 1.2 l



- noble pot series from German manufacturing
- with copper core thermo bottom for optimal heat distribution
- qualified for any kind of stove, also for halogen and induction hobs
- •
- superior black metallic glaze on the outside internal coating nickel-free CLEAN-diamond-glaze •
- flavour and vitamin preserving, up to 20% energy saving
- pot and lid with high-grade stainless steel handles, heat-insulated
- break-proof glass lid ideal for visual cooking



5-item pot set KT 55 saucepot 20 cm Ø, 2.2 l saucepot 24 cm Ø, 4.2 l stewpot 16 cm Ø, 1.9 l stewpot 24 cm Ø, 6.2 l all with glass lid saucepan 16 cm Ø, 1.2 l



large-capacity pan PF 28 28 cm Ø large-capacity pan PF 20 20 cm Ø

- easy to clean .
- handle of high-quality plastic



Breakfast, Coffee & Co. Mobile Cooking

















Stainless Steel Water Kettle

Stainless Steel Water Kettle with Triple Power Base

- cordless, 1.7 l, concealed heating element .
- removable lid, detachable scale filter
- single-handed operation, lid opening button
- automatic cooking stop, overheating protection
- water level indicator, blue LED lamps
- automatic switch-off if lifted off the base
- power base with two swivel modular adapters
- operate up to three appliances of this line simultaneously

WK 2007/E stainless steel 230 V · 2000 W

Stainless Steel Egg Boiler

- cordless, for simple storage
- stainless steel water pan for easy cleaning
- detachable egg table with serving function for 1-7 eggs
- 4 egg poaching cups transparent lid, ready buzzer
- ON/OFF switch, blue LED lamps
- measuring cup with egg piercer, overheating protection

ER 327/E stainless steel 230 V · 320 W

Stainless Steel Toaster

- cordless, for simple storage infinitely variable browning level electronics
- bun warmer with toast server
- automatic centring of bread slices
- stop button, crisp button, defrost function
- removable crumb tray
- toast-lift, blue LED lamps

TR 757/E stainless steel 230 V · 750 W

Breakfast Set





WTE 3007/SE stainless steel

- the set with water kettle, toaster and egg boiler
- a noble eye-catcher in every kitchen
- needs only 1 wall outlet for 3 appliances
- all appliances cordless, practical and space-saving



Espresso Maker

RK 501/K *Espresso Set* 230 V · 500 W · 80 mm Ø



- the original Italian way of making espresso
- BIALETTI espresso coffee vessel for 3 cups of espresso
- full-function, mobile mini hot plate
- durable cast-iron heating plate
- temperature is infinitely variable
- automatic cooking system, overheating protection



EKO 364/E *Elpresso mini* 230 V · 365 W



- superior stainless steel coffee vessel with electrical connection
- with filter insert for 2 or 4 cups of espresso
- cordless, with 360° power base
- concealed heating element
- automatic switch-off



EKO 366/E *Elpresso deLuxe* 230 V · 365 W with filter insert for 3 or 6 cups of espresso

EKT 366/SE - *the gift set* espresso cooker EKO 366/E with 2 decorative espresso cups



Latte Macchiato Station

Espresso Maker

EKT 2/GR

with quick lock

cups available separately

- in cordless technology on 360° power base
 retractable Strix® adapter
 - retractable Strix[®] adapter to connect the milk boiler
 - to connect the milk bolle

with Milk Boiler

.

- stainless steel can (1 litre)
- integrated milk frother
- full-function mini hot plate 80 mm Ø
 - with superior cast-iron heating plate
- infinitely variable, cordless

EKM 850/E Latte Macchiato Station 230 V · 850 W

Enjoy fresh espresso, cappuccino, hot chocolate, latte macchiato or caffè latte at home, in the office or when travelling. Your personal Italian coffee bar!



The world's smallest automatic hot plate made in Germany! Ideal for travelling, indispensable at home as an additional cooking or keep-warm facility and for the Italian espresso maker. On its own or as a set matched by a pot and a case – the perfect gift!

Qualit Made in Gern

Travel Hot Plates

- stainless steel/plastic casing
- durable cast-iron heating plate
- temperature is infinitely variable
- automatic cooking system, overheating protection
- with integrated cord storage
- on its own or as a set with pot (0.9 I) and case
- ideal for long-range trips: available with voltage selection switch, 115 V / 230 V selectable

RK 501/S set with pot and case 230 V · 500 W · 80 mm Ø



RK 501 without accessories 230 V · 500 W · 80 mm Ø



RK 501/SU with pot and case ideal for long-range trips: available with voltage selection switch, 115 V / 230 V selectable 500 W · 80 mm Ø

Gas Cooker & Gas Grill **GK/GG**

- with automatic ignition system (Piezo ignition)
- flame is infinitely variable
- controlled air supply
- fuelled by handy gas cartridges
- non-stick stove top grill with integrated oil-collecting groove
- gas cartridges and case available as accessories



GG 2000 Gas Grill Set blue, 1 gas cartridge and stove top grill included



GK 1000 Gas Cooker white, 1 gas cartridge included, without case

Accessories: G 400 Gas Cartridge 250 g butane fuel

K 99 Case for gas cooker



TS 1001 230 V · 1000 W

TS 1502 230 V · 1500 W

TS 2003 230 V · 2000 W

TS 2003

RTK 352 230 V ⋅ 350 W ⋅ with glass can (0.35 l)



RT 350 230 V · 350 W · with case



RTG 351 230 V \cdot 350 W \cdot with heat-resistant glass and grip ring in a synthetic zip case

Quality Made in Ger



KAZ 500 230 V · 500 W



• safe and quick lightening of charcoal or firewood

Immersion Heaters

made of high-grade stainless steel for the journey and at home

distance mounting as a set with case, heat-resistant

from 350 up to 2000 W

overheating protection,

glass or glass can

- no danger of getting burned by spurts of flame
- sense of smell and taste will be not impaired
- tubular heating element made of stainless steel
- with hand protector and resting bow





Baby Care all you need for babies

New PTC technology for optimum safety. The model BW 812 additionally features an adapter for the 12 V connection in the car as well as an automatic voltage selection – ideal both at home and when out and about with the little children.



Baby Food Warmer

- PTC heating technology
- infinitely variable temperature regulation
- pilot lamp, overheating protection
- integrated cord storage
- grip clip for baby food jars .

BW 812

12 V 80 W · 230 V 90 W · white/blue with adapter for the car, automatic switchover 12 V/230 V



BW 100 230 V · 100 W · white/yellow



Disinfector

- removable basket insert
- automatic switch-off
- pilot lamp, cord storage
- baby bottle tongs included

VAP 380

Disinfect up to 6 bottles, screw lids and teats completely without any chemical additives, just with steam. Easy, simple and convenient. *Reliable cleanliness for your* baby's health!



Baby's Changing-Table Radiator

Our changing-table radiator generates cosy infrared warmth immediately without pre-heating time. Absolute safety is provided through the protected heating rod, the simplest operation through pull switch and wall-mounting.

IW 604/E 230 V · 600 W · stainless steel



International sales agencies

Canary Islands	Sieper S.A.	phone + 9 22/82 18 88 fax + 9 22/82 40 30 sieper@siepersa.com	Avenida El Paso, No 3 Pol. Ind. Los Majuelos 38108 La Laguna · Islas Canarias
Czech Republic	ARGO spol.s.r.o.	phone + 376 5971 97 fax + 376 5971 97 ARGO@zihobce.cz	Zihobce 137 34201 Susice Czech Republic
Hong Kong	Kung Ming Electric Co.Ltd.	phone + 2574 8321 fax + 2572 5321	Rm 301-B, Sun Cheong Ind.Bdg. 1-3, Cheung Shun St, Lai Chi Kok Kowloon, Hong Kong ∙ PR China
Luxembourg	Zuang Distribution S.A.	phone + 37 20 441 fax + 37 97 10 zuang@pt.lu	Z.I. Rue de la Poudrerie 3364 Leudelange Luxembourg
Netherlands	J. Lensen Huishoud BV	phone + 79/363 42 42 fax + 79/360 08 15 info@jlensen.nl	Platinastraat 84 2718 RX Zoetermeer Netherlands
Norway	Reuro AS	phone +6399 0950 fax +6399 2135 per-ivar@reuro.no	Hval gard 2024 Gjerdrum Norway
Portugal	Lusomax - Soc.LDA	phone +2141 01006 fax +2141 07003 comercial@lusomax.pt	Av. Salgueiro Maia, 949 2785-502 S. Domingos de Rana Portugal
Saudi Arabia	Awad Badi Al-Nahas Est.	phone + 2 2560 888 fax + 2 2560 555	Madina Road · P.O. Box 11529 21463 Jeddah · Saudi Arabia
Singapore	Kum Eng Huat Electric Co. PTE Ltd.	phone + 6 84 21 818 fax + 6 84 12 828 enquiry@kumenghuat.com.sg	No.4, Kaki Bukit Place Eunos Techpark Singapore 416182
South Korea	Sun Woo Ind. Co. Ltd.	phone + 31 793 11 72 fax + 31 793 11 76 jskang@e-sunwoo.com	#251-6 Hang Dong, Hanam, Kyung-Ki-Do 463-070 Republic of Korea
Sweden	Lobelius agenturer ab	phone + 8-357 915 fax + 8-357 935 per@lobelius.se	Edsviksvägen 90B 19143 Sollentuna Sweden
Thailand	Verasu Group Ltd.	phone + 2548 100/8 fax + 2531 574 askverasu@verasu.com	Lumpini Patumwan 83/7 Wireless Road 10330 Bangkok · Thailand



Design Konzept Ikonomow · 01/08



Rudolf-Schmidt-Str. 18 · D-91550 Dinkelsbühl · phone ++9851/57 58-0 · fax ++9851/57 58 59 www.rommelsbacher.de · info@rommelsbacher.de · export@rommelsbacher.de